



...The Difference is Quality

SALES QUOTATION

Customer: Vander Haag's, Inc.
2809 4th Ave. W.

Spencer, IA 51301

Quote #: 004803-2

Quotation Date: 5/6/2014

Valid through: 5/26/2014

Salesperson: Brian Prall

For: Pre-Order Sales Initiative

Prepared by: SRK

FOB Location:

Phone:

Ship Via:

Fax:

Customer #: VA21050

Quantity: 8

Requested 1st Unit Completion Date: (3)July/(2)Aug/(2)Sept/(1)Oct

Product Specifications

Base Model

Model AHV-401T-AR-S *10' Middle of Road*
Type Aluminum Grain Hauler Van
Certified or United States
Length Overall: 40'
Width Overall: 96"
Height: Overall: 10'-4" based on a 48" fifth wheel height
Sidewall Height 68"
Capacity 1100 Bushels

15ST017 July
15ST018 July
15ST019 July
15ST020 Aug
15ST021 Aug
15ST022 Sept
15ST023 Sept
15ST024 Oct

Suspension

Suspension Type Fixed Air Ride
Suspension Model Holland CBX23
Subframe Type Steel
Ride Height 16"
Susp Air Control Manual Dump w/Load Gauge in Box

Axle

Quantity 2
Spacing 49"
Wall Thickness Suspension Manufacturer's Standard
Manufacturer Included with Suspension
Spindle Type Tapered
Bearing Manufacturer Stoughton Standard
Inner Bearings Inner: HM218248
Outer Bearings Outer: HM212049
Spindle Nuts Pro-Torq

Brakes

Brake Type Drum

Brake Size	16.5"x7"
Brake Lining	Stoughton Standard
Lining Type	Extended Service (Standard)
Dust Shields	None
Brake Adjusters	Haldex, 5-1/2"
Brake Chambers	Stoughton Standard 3030
ABS Brake Vendor	Wabco
ABS Configuration	2S/1M (Two Sensor/One Modulator)
ABS Diagnostic Cable	No
Spring Brake Valve	Stoughton Standard
Valve Type	Spring Brake Priority
Gladhand Style	Standard (Non-Swivel)
Gladhands	Stoughton Standard
Gladhand Seals	Stoughton Standard
Gladhand Screens	Included (Standard)
Air Tank Drain	Drain Cock (Standard)
Air Line Filter	None

Hub and Drum

Hub and Drum Type	Hub Piloted
Hub Material	Steel
Hub Manufacturer	Stoughton Standard
Brake Drum Type	Standard
Brake Drum Mfg	Stoughton Standard

Oil Seals

Bearing Lubrication	Grease - Chevron Delo SF
Oil/Grease Seals	Stemco Guardian HP (PPS+)
Hubcaps	Stemco Sentinel (PPS+)

Tires

Tire Manufacturer	Hankook
Tire Size	11R22.5 (G)
Tire Model	TL01
Tire Fill Pressure	90 psi
Valve Stems	Stoughton Standard

Wheels

Wheel Size	22.5x8.25
Wheel Material	Aluminum Outers w/Steel Inners
Wheel Finish	Clean Buffed LVL ONE Outers/Steel Inners
Wheel Separators	None
Wheel Mfg	Stoughton Standard
Wheel Studs	Stoughton Standard
Wheel Nuts	Stoughton Standard
Wheel Alignment	Stoughton Electronic Exac-Trac System

Landing Gear

LG Model	Holland Atlas 55
LG Footwear	10"X10" Removable Cushion Foot
LG Bracing Material	Hot Rolled Steel
LG Location	110" from Front
Crank Type	Hex Socket Style
Crank Vendor	Holland

Upper Coupler

Upper Coupler Type	5" Deep
King Pin Location	20"
Bottom Plate	1/4"
Front Sill Material	Hot Rolled Steel

Lower Rail

Lower Rail Matl	Extruded Aluminum, 6061-T6
-----------------	----------------------------

Front Wall

Front Wall Panels	.050 Pre-Painted White Aluminum
Front Corner Panels	.036 Mirror Bright Stainless Steel
Nosebox Mtg Type	Surface Mounted
Nosebox Location	Centered

Sidewalls

Sidewall Posts	1.5" Aluminum Zee Post
Sidewall Post Spacing	12" on Center
Sidewall Panels	.063" Pre-Painted White Corrugated Alum

Upper Rail

Upper Rail Matl	Extruded Aluminum, 6061-T6
-----------------	----------------------------

Tarp

Tarp Vendor	Shur-co
Tarp	18 Ounce Black Vinyl
Operator Type	Manual Without Return Spring
Tarp Bows	8 Galvanized Truss Style
Front End Caps	Stoughton Standard
Rear End Caps	Stoughton Standard

Rear Wall

Rear Panel Matl	.050" Prepainted White Aluminum
-----------------	---------------------------------

Liner, Sides

Sidewall Matl	.050" Mill Finish Aluminum
---------------	----------------------------

Liner, Rear

Rear Wall Matl	None
----------------	------

Electrical

Harness Mfg	Stoughton Standard
7-Way Receptacle Mfg	Stoughton Standard
7-Way Recept Style	Split w/o Circuit Breakers

Lamp System	Trucklite LED Throughout w/#33 PC Markers	
Upper Frt Lamp Qty	2	
Upper Front Lamps	Stoughton Standard	
Upr Frt Crnr Lamp Loc	Mounted on Upper Rail	
Side Lamp Qty	5 Per Side Top & Bottom Evenly Spaced	
Side Marker Lamps	Stoughton Standard	
Center Combo Lamp	Stoughton Standard	
Side Lamp Loc	Evenly Spaced	
Upper Rear Lamp Qty	5	
Upper Rear Lamps	Stoughton Standard	
Tail Lamps	Stoughton Standard	
Tail Lamp Quantity	3 per side	
License Lamp	Stoughton Standard	
License Lamp Loc	Centered On Rear Crossmember	
ABS Indicator Lamp	Trucklite 33 LED	
Hopper Crank Lamps	One Above Each Hopper Gearbox	
Hopper Gate Lamps	Three at Each Hopper Gate	
Switch Location	Centered on Roadside Lower Rail	
Splash Guards		
Location	Mounted On Rear Frame	
Splash Guard Size	24" X 28"	
Splash Guard Vendor	*Customer Furnished*	
Splash Guard Style	Anti-sail/Anti-spray	
Splash Guard Color	*Special*	Customer Determined
Splash Guard Logo	*Customer Logo*	
Hopper		
Operator Trap Door	Rack and Pinion Gear	
Trap Door Size	29" x 31" Opening	
Trap Door Material	Stainless Steel	
Funnel Material	.125" Aluminum	
Upr Slope Sheet Matl	.080" Aluminum	
Vents		
Vents	None	
Ladder / Platforms		
Front Ladder Loc	Roadside	
Front Platform	48" w/Horizontal Grab Handle @ Top Rail	
Rear Ladder Loc	Roadside	
Rear Platform	63" w/Horizontal Grab Handle @ Top Rail	
Conspicuity Tape		
Tape Vendor	Stoughton Standard	
Tape Pattern	Stoughton Standard (6" White/6" Red)	
Sidewall Tape Location	On Panels	

Paint + Undercoating

Front Sill Finish	Black Paint
Undercoating	Black

PRICING SUMMARY	Trailer Pricing as configured	\$ 26,165.00 per unit (FET not included)
------------------------	-------------------------------	--

THE UNDERSIGNED ACKNOWLEDGES RECEIPT, REVIEW, AGREEMENT WITH, AND ACCEPTANCE
OF THE TRAILER ORDER SPECIFICATIONS, SALES ORDER PRICING, AND STOUGHTON TRAILERS,
LLC STANDARD TERMS AND CONDITIONS.

PRICE SUMMARY DATA

	PER UNIT \$	TOTAL ORDER \$
NET AT FULL DISCOUNT:	\$ _____	\$ _____
FREIGHT - F.O.B. Stoughton, Wisconsin		
F.E.T. INCLUDED	\$ _____	\$ _____
	\$ _____	\$ _____
	\$ _____	\$ _____
TOTAL NET SALES	\$ _____	\$ _____

ACCEPTED: _____

Distributor/Customer

DATE: _____

5/13/2014

APPROVED: _____

Stoughton Trailers, LLC

DATE: _____

Terms: Net 30 days from unit completion. Prices are firm or 20 days from the date of this quote.
A **MINIMUM** \$200 per unit cancellation charge will be enforced to ensure that orders placed in the backlog are firm.
Thank you for this opportunity to work with you on your equipment needs.