

Equipment Post Dismantle Checklist

Deman Unit 74RIE002

- ☒ **EQUIPMENT WO OPEN**
- ☒ **EIF STARTED**
- ☒ **TAGS PRINTED**
- ☐ **DEMAN WO CLOSED**

- ☒ **Complete pre-run checklist, Enter pre-run notes into EIF PRIOR to Running Engine.**
- ☒ All fluids drained from tanks, reservoirs, and machine before going back into yard
- ☒ All batteries pulled from machine
- ☒ All parts to be tagged have been cleaned well enough for tag to stick long term
- ☒ All parts are tagged with correct part number both on the unit and on parts cart
- ☒ Machine/Cab cleaned out well enough to ship to customer
- ☐ Wheels/Tires tagged
- ☒ All hydraulic pumps, motors, and lines are Capped or plugged
- ☒ All pumps, motors, sprockets, and chains are pulled from machine are marked properly, and loose parts have been re-pictured
- ☐ Inspect all rollers on tracked units, and axle shafts on wheeled units, these can be left w/ the machine once inspected
- ☐ Inspect track frames for cracks, patches, or abnormal welds, these may need to be power washed
- ☒ Inspect equipment frame for cracks, patches, or abnormal welds
- ☒ Check for any pumps/valves that were not inventoried, may need to find inventory tech before unit goes back out into the yard to enter more parts
- ☒ All loose body panels and other parts are tagged and in wire basket
- ☒ All parts that were damaged have been deleted or have pictures and description updated in I-track

Post Deman pictures taken and attached

- ☒ **FRONT LH CORNER OF VEHICLE**
- ☒ **FRONT RH CORNER OF VEHICLE**
- ☒ **BACK RH CORNER OF VEHICLE**
- ☒ **BACK LH CORNER OF VEHICLE**
- ☒ **RE-PICTURE INSIDE AND OUTSIDE OF CAB IF REMOVED**
- ☒ **PICTURE OF ALL PIPE/TUBES/MISC PARTS THAT ARE GOING INTO THE BASKET**
- ☒ **PICTURE ANY MISC LARGE PARTS THAT HAVE BEEN SEPARATED FROM THE MACHINE DURING DEMAN**

Dismantler Initials *L* Deman Lead Initials *L*

Dismantle Sheet

298021T

74RE002

1974 JOHN DEERE 644B

Fluids	
<input type="checkbox"/>	Fuel
<input type="checkbox"/>	Engine
<input type="checkbox"/>	Coolant
<input type="checkbox"/>	Power Steering
<input type="checkbox"/>	Freon
<input type="checkbox"/>	Brake Fluid
<input type="checkbox"/>	Transmission
<input type="checkbox"/>	Differential(s)
Fluids Drained by _____	

- ☐ Dismantle R/O
- ☐ Chocked Wheels
- ☐ Resting on Jack Stands
- ☐ Cleaned Garbage out of Cab
- ☐ Inspected parts for damage
- ☐ Mark Frame Rail with Stock #
- ☐ Tag Cores
- ☐ Post Deman Pictures

Pull	Initials		Cnd	Status	Location	Tag
<input type="checkbox"/>		Hood Assy		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Radiator		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Radiator Overflow Bottle		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Condensor		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Cab		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Cab Control Module		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Column		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Seats		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Heater Motor		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Radio		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Fuel Tanks		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Air Tank		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Wiper Motor		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Engine	A	Available	np	<input type="checkbox"/>
Un-Assigned (24619974) 2019-03-12 12:51:06 </dap>						
Notes -----						
PLEASE PROCESS AND SHIP ENGINE						
Cindy - 605-723-3553 Ship On: Ship to Customer						
<input type="checkbox"/>		Fan		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Starter		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Alternator		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Flywheel		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Steering Pump		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		A/C Compressor		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Transmission		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Fr Axle		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Steering Gear		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Fr Leaf Spring		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Rr Axle(s)		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Brake Control Module		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Power Divider		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Carrier		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Axle Shafts		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Rr Leaf Spring		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Fifth Wheel		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Equipment		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Wheels		Not Posted		<input type="checkbox"/>
<input type="checkbox"/>		Front Tires		Not Posted		<input type="checkbox"/>

JOHN DEERE, 6531TT, 531 CU IN. 6258 HOURS ON UNIT JOHN DEERE
6531T 180 Day Parts and Labor 302694R

Notes:

<input type="checkbox"/>	<input type="checkbox"/>	Rear Tires	Not Posted	<input type="checkbox"/>	
<input type="checkbox"/>	<input type="checkbox"/>	Equip Loader Arm	A Available	<input type="checkbox"/>	LOADER ARM ASSEMBLY, PIN AREAS SHOWING SOME WEAR, LESS CYLINDERS AND BUCKET, LEFT END PIN AREA W/ BUCKET APPEARS TO HAVE PAST REPAIR JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	L Equip Weight	A Available	<input type="checkbox"/>	COUNTERWEIGHT, AUXILIARY W/ BOLTS, P/N T69720 JOHN DEERE 644B SIDE WEIGHT
<input type="checkbox"/>	<input type="checkbox"/>	L Equip Weight	A Available	<input type="checkbox"/>	COUNTERWEIGHT, LEFT REAR, W/ BOLTS, P/N T54817 FOR S/N 247945 AND NEWER JOHN DEERE 644B SIDE REAR
<input type="checkbox"/>	<input type="checkbox"/>	Equip Weight	A Available	<input type="checkbox"/>	REAR, MOLDED COUNTERWEIGHT, LESS BOLT IN INSERT, P/N T41100, MAIN REAR OF MACHINE JOHN DEERE 644B REAR
<input type="checkbox"/>	<input type="checkbox"/>	Equip Weight	A Available	<input type="checkbox"/>	REAR, INSERT, P/N T65084 JOHN DEERE 644B REAR
<input type="checkbox"/>	<input type="checkbox"/>	R Equip Weight	A Available	<input type="checkbox"/>	COUNTERWEIGHT, RIGHT, SIDE REAR, W/ BOLTS, P/N T54816 FOR S/N 247945 AND NEWER JOHN DEERE 644B SIDE
<input type="checkbox"/>	<input type="checkbox"/>	R Equip Weight	A Available	<input type="checkbox"/>	COUNTERWEIGHT, AUXILIARY, RIGHT W/ BOLTS, P/N T69720 JOHN DEERE 644B SIDE
<input type="checkbox"/>	<input type="checkbox"/>	Equip Hydraulic Cylinder	A Available	<input type="checkbox"/>	CYLINDER, BUCKET/ TILT, COLLAR IS WELDED TO BARREL, SOLD AS IS JOHN DEERE 644B TILT
<input type="checkbox"/>	<input type="checkbox"/>	Equip Hydraulic Cylinder	A Available	<input type="checkbox"/>	CYLINDER, LIFT JOHN DEERE 644B LIFT
03/18 Ship to customer best way. cw					
03/18 need shipping estimate please. thanks! Ship On: Ship to Customer					
<input type="checkbox"/>	<input type="checkbox"/>	L Equip Hydraulic Cylinder	A Available	<input type="checkbox"/>	CYLINDER, STEER, LH, P/N AU41981, BALL JOINT ON ONE END BROKEN, RUBBER ON LINE CRACKING JOHN DEERE 644B STEER
<input type="checkbox"/>	<input type="checkbox"/>	Equip Hydraulic Valve	A Available	<input type="checkbox"/>	VALVE, CONTROL, 3 SPOOL, FOR S/N 243978 - S/N 309203 JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Hydraulic Tank/Reserv	A Available	<input type="checkbox"/>	HYDRAULIC TANK, JOHN DEERE 644B STEEL
<input type="checkbox"/>	<input type="checkbox"/>	Equip Linkage	A Available	<input type="checkbox"/>	LINK, MOUNTS BETWEEN TILT CYLINDER AND BOOM, 2 PIECES, PINS & BUSHINGS WORN JOHN DEERE 644B TILT LINK
<input type="checkbox"/>	<input type="checkbox"/>	Equip Hydraulic Misc. Parts	A Available	<input type="checkbox"/>	MOUNT FOR FRONT PUMP CAST R46774 JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Hydraulic Misc. Parts	A Available	<input type="checkbox"/>	MOUNT, FILTER, REAR OF TWO JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Hydraulic Misc. Parts	A Available	<input type="checkbox"/>	MOUNT, FILTER, FRONT OF TWO JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	R Equip Hydraulic Misc. Parts	A Available	<input type="checkbox"/>	2 STICK LOADER CONTROL, STICKS, SHAFT & LINKAGE FOR 3 SPOOL CONTROL VALVE (SOLD SEPARATE) JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Hydraulic Pump	A Available	<input type="checkbox"/>	PUMP, SHAFT DRIVEN, MOUNTS IN FRONT OF ENGINE JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Hydraulic Pump	A Available	<input type="checkbox"/>	PUMP, MAIN HYDRAULIC, P/N AT57577 JOHN DEERE 644B MAIN
Dismantler Notes: PLEASE VERIFY P/N IS RIGHT, ADD TAG PICTURE					
<input type="checkbox"/>	<input type="checkbox"/>	Equip Grille	A Available	<input type="checkbox"/>	GRILLE, RADIATOR, SEVERAL BENDS JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Radiator Support	A Available	<input type="checkbox"/>	GRILLE HOUSING, SHELL, LESS GRILLE & RADIATOR JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	R Equip Fender	A Available	<input type="checkbox"/>	FENDER, RIGHT FRONT JOHN DEERE 644B YELLOW STEEL
<input type="checkbox"/>	<input type="checkbox"/>	L Equip Fender	A Available	<input type="checkbox"/>	FENDER, BENT, NEEDS STRAIGHTENED TO USE JOHN DEERE 644B YELLOW STEEL
<input type="checkbox"/>	<input type="checkbox"/>	Equip Hood	A Available	<input type="checkbox"/>	HOOD, REAR, OVER ENGINE, DENTED ON LEFT SIDE, WILL NEED WORK TO HINGE OPEN AND CLOSED AGAIN JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	R Equip Door Assembly	A Available	<input type="checkbox"/>	UPPER WINDOW FRAME W/ HINGES, BENT, WILL NEED STRAIGHTENED BEFORE USE, NO LATCH HANDLE JOHN DEERE 644B YELLOW
<input type="checkbox"/>	<input type="checkbox"/>	L Equip Door Assembly	A Available	<input type="checkbox"/>	DENTED JOHN DEERE 644B YELLOW SIDE
<input type="checkbox"/>	<input type="checkbox"/>	R Equip Pedal	A Available	<input type="checkbox"/>	ACCELERATOR PEDAL, FLOOR BRACKET AND LINKAGE TO ENGINE JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Pedal	A Available	<input type="checkbox"/>	BRAKE PEDALS ASSEMBLY, BASE AND SHAFT, LESS COLUMN AND COVER JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	L Equip Step	A Available	<input type="checkbox"/>	STEP, CAB ENTRY JOHN DEERE 644B CAB ENTRY STEEL
<input type="checkbox"/>	<input type="checkbox"/>	L Equip Body Misc. Parts	A Available	<input type="checkbox"/>	COVER, BATTERY BOX, W/ HINGES, NO LATCH, SOME RUST AND WEAR JOHN DEERE 644B BATTERY BOX STEEL
<input type="checkbox"/>	<input type="checkbox"/>	L Equip Body Misc. Parts	A Available	<input type="checkbox"/>	COVER ONLY, BELOW BATTERY BOX, SOME RUST AND WEAR JOHN DEERE 644B BATTERY BOX STEEL
<input type="checkbox"/>	<input type="checkbox"/>	R Equip Body Misc. Parts	A Available	<input type="checkbox"/>	PANEL/ COVER, BOLTS HYDRAULIC TANK, COVERS LOADER VALVE ASSEMBLY JOHN DEERE 644B SIDE STEEL
<input type="checkbox"/>	<input type="checkbox"/>	Equip Body Misc. Parts	A Available	<input type="checkbox"/>	FRONT HOOD SECTION, INSIDE CAB, BEHIND SEAT JOHN DEERE 644B CAB STEEL
<input type="checkbox"/>	<input type="checkbox"/>	Equip Interior Misc. Parts	A Available	<input type="checkbox"/>	COVER, STEERING COLUMN, COVER ONLY JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Interior Misc. Parts	A Available	<input type="checkbox"/>	COWL, UPPER, CAST JOHN DEERE 644B

Notes:

<input type="checkbox"/>	<input type="checkbox"/>	Equip Air Cleaner	A	Available	B	<input type="checkbox"/>	AIR CLEANER ASSEMBLY, STEEL JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Transmission	A	Available	YC	<input type="checkbox"/>	COMPLETE TT 2421-1 TRANSMISSION, P/N AT-73769 W/ TORQUE CONVERTER AND CONTROL SHIFT VALVE JOHN DEERE 644B AT73769
<input type="checkbox"/>	<input type="checkbox"/>	Equip Drive Shaft	A	Available	B	<input type="checkbox"/>	DRIVE SHAFT, MIDDLE W/ SLIP- SHAFT JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Drive Shaft	A	Available	B	<input type="checkbox"/>	BETWEEN ENGINE AND TORQUE CONVERTER JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Drive Shaft	A	Available	YC	<input type="checkbox"/>	FROM FRONT OF ENGINE TO FRONT PUMP JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Drive Shaft	A	Available	B	<input type="checkbox"/>	BETWEEN REAR AXLE & TRANSMISSION JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Axle	A	Available	YC	<input type="checkbox"/>	OUTER AXLE HOUSING WITH AXLE SHAFT JOHN DEERE 644B

<dap> Picked Up (24680567) by Mike Daniels 2018-10-30 16:15:27</dap>

Notes

PLEASE PULL and inspect and get updated photo and we will have the customer come and get it Ship On: Get Ready for Pickup

<input type="checkbox"/>	<input type="checkbox"/>	Equip Axle	A	Available	YC	<input type="checkbox"/>	CENTER AXLE HOUSING, BAD RING AND PINION GEARS JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Brakes		Available	YC	<input type="checkbox"/>	BREAK VALVE, MOUNTS ABOVE BRAKE PEDALS JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Misc. Parts	A	Available	YC	<input type="checkbox"/>	STEERING SUPPORT, COVER, MOUNTS BETWEEN CAB AND FRONT FRAME JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	L Equip Misc. Parts	A	Available	YC	<input type="checkbox"/>	STEER/ LOCK FOR TOWING JOHN DEERE 644B
<input type="checkbox"/>	<input type="checkbox"/>	Equip Misc. Parts	A	Available	NP	<input type="checkbox"/>	DEERE 6531TT STARTER JOHN DEERE 644B

Dismantler Notes: KEEP FOR DEMAN

<input type="checkbox"/>	<input type="checkbox"/>	Equip Misc. Parts	A	Available	L	<input type="checkbox"/>	COVER/ PANEL,BOTTOM GUARD MOUNTS UNDER REAR, JOHN DEERE 644B
--------------------------	--------------------------	-------------------	---	-----------	---	--------------------------	--

Notes: