3AC001	1 2003	AUTOCAF	R WX	Disma	intle Sheet	Y4B62 5VCDC6UE33N194289
	Fluids Fuel Engine Goolant Power Steering Freon Brake Fluid Transmission Differential(s) Fluids Drained by				 □ Dismantle R/O □ Chocked Wheels □ Resting on Jack Stands □ Cleaned Garbage out of C □ Inspected parts for damag □ Mark Frame Rail with Stoo □ Tag Cores □ Post Deman Pictures 	
ull Initials	Species	Cnc	i Status	Location	Tag	
	Hood Assy		Not Posted			
	Radiator		Not Posted			
	Radiator Overflow	Bottle	Not Posted			
	Condensor		Not Posted			
	Cab		Not Posted			
	Cab Control Modu	le	Not Posted			
	Column		Not Posted			
	Seats		Not Posted			
	Heater Motor		Not Posted			
	Radio		Not Posted		Committee of the commit	
9	Fuel Tanks		Not Posted	Scrip		
	Air Tank		Not Posted			
	Wiper Motor	A	Available		WIPER MOTOR Autocar WX	
	Engine	А		NP	ISM, 320 HP, CPL 2607, Cummins 35057319 320	ISM 180 Day Parts and Labor CPL 2607
	Fan		Not Posted			
	Starter		Not Posted			
	Alternator		Not Posted			
	Flywheel		Not Posted			
	Steering Pump		Not Posted			
	A/C Compressor		Not Posted			
	Transmission	Α	Available		HAS WELLER REMAN TAG Allison	HD4560P E005956
	Fr Axle	Α	Available		NO CAST # Meritor FL941 20000 A	AIR DRUM 34 BUDD
	Steering Gear		Not Posted	ع		
	Fr Leaf Spring		Not Posted			
	Rr Axle(s)		Available		23160 LOCKER IN VOLVO T RIDE Meritor RD23160 AIR DRUM PILO	, FOR 3 SPRING 46000# SUSPENSION TT-RIDE -
لماك	Brake Control Mod		Not Posted			
	Power Divider			CL	HAS LOCKER, (NOT PUMP/FILTE) 3200U1893	
411	Carrier		Available		LOCKER Meritor RS23160 6.14 46	
الياك	Axle Shafts(2)	Α	Available		3157 Meritor 3206R1162 3206R116	02 46 2.35 36.57
Disn	nantler Notes: ,		Not Dooted			
4	Rr Leaf Spring		Not Posted	* percentage of all the collection		
4	Fifth Wheel		Not Posted			
لحإل	Equipment		Not Posted		\(\begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	
4	Wheels		Not Posted			

22.5

22.5

Not Posted

Not Posted

Notes:

Front Tires

Rear Tires

3AC001	2003 AUTOCAR W	ľΧ			5VCDC6UE33N194289				
	Grille	Α	Available		Page 2 of 4 2 PIECES, 1 BOLTS TO RADIATOR AND IS STATIONARY, THE OTHER BOLTS TO CAB AND TIPS WITH CAB, BOLT INCLUDED, SOME WEAR Autocar WX, CHROME ASSEMBLY UPPER & LOWER				
	L Headlamp Assembly	Α	Available		W/ BEZEL BODY SURROUND SOLD SEPARATE Autocar WX SINGLE				
	R Headlamp Assembly	Α	Axallatrie		WE BEZEL RODY SURROUND SOLD SEPARATE Autocar WX SINGLE				
	R Door Assembly Front	C	Available		COMPLETE W/ MIRROR, LARGE DENT UNDER MIRROR MOUNT, TEAR ON UPPER EDGE, HAS WEAR AND TEAR ON INTERIOR DOOR				
	Cab Assembly	A	Available		PANEL & MIRROR Autocar WX WHITE NO YES SHELL CAB COMPONENTS SOLD SEPARATE, ALLISON HD4560, Autocar WX, AIR CUMMINS ISM SHELL CABOVER				
	Cab Jack	Α	Available		Autocar WX				
	L Cab Exterior Panel	А	Available		LESS HEADLAMP Autocar WX FRONT CORNER CABOVER FIBERGLASS				
	R Cab Exterior Panel	Α	Available		CRACKED PANEL, LESS HEADLAMP BUCKET Autocar WX FRONT				
	Cab Exterior Panel	Α	Available	\Box	CORNER CABOVER FIBERGLASS ENGINE INSPECTION COVER Autocar WX CAB CAB				
	L Step (Fuel Tank, Fairing)	Α	Available	H	CAB ENTRY, BELOW DRIVERS DOOR Autocar WX STEEL CAB				
	R Step (Fuel Tank Fairing)		Available	H	CAB ENTRY SEVERAL BENDS Autocar WX STEEL CAB				
	Dash Assembly	Α	Available	Н	FOR PARTS, COMPONENTS SOLD SEPARATE Autocar WX CUMMINS				
	Air Cleaner			U	ISM AIR AUTOMATIC FOR PARTS				
	5411 - 47 (40 48 (44))	Α	Available	\Box	MOUNTS TO STAND, BEHIND CAB Autocar WX 13 STEEL DONALDSON INTERNAL				
	Axle Housing (Rear)	Α	Available		23160 LOCKER IN VOLVO T RIDE, FOR 3 SPRING 46000# SUSPENSION Meritor RS23160 AIR DRUM PILOT T-RIDE -				
	Suspension	Α	Available		VOLVO T-RIDE, 3 OVER SPRING, 46000#, LESS HOUSINGS Volvo T-RIDE T-RIDE 46000				
	Frame	Α	Available		SHAPED FRAME, VARIES 3 DIFFERENT TIMES TO COMPLETELY DIFFERENT SIZE, NOT EVEN INFORMATION, Misc Manufacturer ANY -				
	Heater & AC Temperature Co	Α	Available		3 CONTROL SLIDES (LESS 1 KNOB), A/C SWITCH, FAN KNOB, CRACK				
	Cooling Assembly. (Rad., Cor	Α	Available		IN PLASTIC BY FAN SWITCH Autocar WX RADIATOR AND CHARGE AIR COOLER ASSEMBLY Autocar WX				
Disi	nantier Notes PLEASE GRADE	E AFT	ER REMOVED, DID NOT G	SET T	CUMMINS ISM HE CAB UP DURING OUTSIDE				
	INVENTORY								
	L Hydraulic Cylinder		Available	\sqcup	Misc Manufacturer ANY CAB LIFT				
	nantier Notes PLEASE ADD PI R Hydraulic Cylinder				Mice Manufactures ANV CARTIET				
	R Hydraulic Cylinder	A	Available		Misc Manufacturer ANY CAB LIFT				
	SPECIAL IN	VΕ	NTORY / D	OIS	MANTLE INSTRUCTIONS				
Avia Hoi	ising (Front)	Meri	tor RD23160 - Salvage	lear	check your inventory for ONTY of part type 4409 in				
Axle Housing (Front) Meritor RD23160 - Salvage lead, check your inventory for QNTY of part type 4409 in Rd23160. If you have 2 shelved thru shafts for rd23160 dismantle does not need to pull. If									
			you have less than 2 instruct dismantle to pull the thru shaft and send through the						
W			warehouse for inspection and inventory. Describe housing as "						
			less thru shaft."						
					Example SKU: 24675818				
		W.							
			* * * * * * * * * * * * * * * * * * * *						
			- according a value						
Headlam					amps! Don't throw the hood away with the headlamps in it, or				
					Remove them and send them through the warehouse				
					shelving so that the yardtechs don't have to go digging				
	1	throu	ugh hoods to find them	i, or v	we don't sell them later and find out you threw them away.				
and gather global and beginning and a special and a state of the special and a special	ausselle in militar on the self-level collected self-level termination of the self-level collected and self-level and self-level collected and self-level self-level and self-level self-level self-level and self-level sel	TOTAL TILATORISMOST AND	-meenthermore, was an englight administrate have still about the constitution of the c	Times and the second					

03AC001

Notes:

2003 AUTOCAR WX

Post Deman Walk Around Candidate for cut off? Deman Unit 03AC001 Axle housing physical condition okay (edit part) (delete part) Scrap Unit Inventoried parts not full of garbage VEHICLE WO OPEN Cab cleaned out, parts being stored in cab organized SCRAP TRUCK PICKED SCRAPPED IN SCRAP APP Tool box/Battery Box cleaned out, not rusted out, no holes? (Edit part) (Delete Part) **EMAIL SENT EIF STARTED** Transmission Shift Lever (manual) pull and inventory TAGS PRINTED if Nice and needed **DEMAN WO CLOSED** All Fluids drained Complete pre-run checklist, Enter pre-run notes All batteries/battery Cables pulled from Truck into EIF PRIOR to Running Engine. All parts marked w/ correct truck number and put on Review Deman Sheet to make sure all parts are parts cart pulled/dealt with before truck goes into the yard All driveline pulled and marked with correct u-joint Condition of Doors acceptable (edit part) (delete part) Wheels/Tires pulled Cage Bolts (pull all) Tires dismounted, wheels tagged, dirty ones should Save Nice Female Seat belt ends be washed (part type 2100) Fuel and Hydro Tanks pulled Cracked Fairing Brackets? (Edit Part) (Delete Part) CRR Bolts/axle nuts put Back in Housing Bumper Still as Pictured/described? Not Inv 5th Wheel inspected (Good) (Bad) New (edit part) (delete part) Scrap Cleaned up and thrown away Hood (edit part) (delete part) All parts that need washed moved to wash bay Dash (edit part) (delete part) Clean floor as needed before next truck Mirrors (edit part) (delete part) EIF completely filled out and signed. (this applies to Inner Fenders (edit part) (delete part) all engines, used, core, unknown) **POST DEMAN PICTURES NEED TO BE TAKEN** Inventory Fender mount brackets if Fenders are **OUTSIDE / NOT INSIDE** damaged 1. FRONT LH CORNER OF VEHICLE 2. FRONT RH CORNER OF VEHICLE Quicktach Deck plate, pull all good ones in Deman **RH SIDE OF VEHILE BACK RH CORNER OF VEHICLE** ☐ Axle shafts tag on shaft, install one nut finger tight **BACK LH CORNER OF VEHICLE** Long-Splines 4 DIA Short - Splines 46 DIA 2.32 L 43/16 (S) (T) Locker - Splines 46 DIA 2.32 L 43/16 (S) (T) 6. LH SIDE OF VEHICLE 7. INSIDE DRIVER DOOR 8. INSIDE PASSENGER DOOR 9. PICTURE OF ALL PIPE/TUBES/MISC PARTS Dog house mount tabs inspected

(edit part) (delete part)

THAT ARE GOING BACK IN CAB